



Providing legendary Isuzu capability and durability, this robust and proven workhorse offers superior levels of comfort and refinement in our most exciting pick-up yet, the Isuzu D-Max V-Cross.

Distinctive styling, class-leading safety and unrivalled off-road performance combine to deliver a pick-up that consistently meets all of life's needs with ease.

A life driven by work, family and adventure demands more, and the Isuzu D-Max V-Cross delivers.



FIVE*
YEAR
125K MILE
WARRANTY

3.5 TONNE TOWING CAPACITY TONNE PAYLOAD

164 PS

YEAR UK & EU ROADSIDE ASSISTANCE 12 YEAR

ANTI-CORROSION
WARRANTY

VAT BACK QUALIFIED

SPEED RESTRICTIONS

^{*5} year / 125,000 miles (whichever comes first) warranty applies to all new Isuzu D-Max models.



ASSERTIVE EXTERIOR

Sleek Bi-LED headlights, distinctive gun metal styling and robust 18" alloy wheels provide a commanding road presence.

Loaded with intelligent driver aids, automatic headlights feature high beam assist and automatic windscreen wipers will activate when moisture is detected on the windscreen. Plus, front and rear parking sensors and a reversing camera ensure safe and convenient manoeuvring.

Newly designed side steps and keyless entry afford easy access to the cabin and a tailgate damper ensures a gentle opening action when accessing the load bed.





"It's better equipped, smarter to look at, is a more capable work vehicle and is the safest truck in the class."

AUTO EXPRESS







TOWING POWER

The V-Cross is capable of towing up to 3.5 tonnes and is equipped with trailer sway control that uses sensors to detect the onset of trailer swing and reduces vehicle speed if sway is identified.

DRIVING TORQUE

A diesel engine delivering 164PS and 360Nm of torque is mated to a choice of 6-speed manual or 6-speed automatic transmission.

Refined suspension improves ride and ensures comfort, especially when unladen, without compromising on its carrying capacity of over one tonne payload.





"This D-Max not only looks and drives better than before, it now features class-leading safety, on trend tech, a far better passenger experience."

COMPANY CAR & VAN

STRONGER. No road? No problem! When the going gets tough, the Isuzu D-Max V-Cross handles all terrains with proven capability, no matter what the conditions. THE ISUZU D-MAX V-CROSS



OFF-ROAD CAPABILITY

No adventure is off limits with a 4WD shift-on-the-fly system, rear differential lock and a wading depth of up to 800mm.

TOUGH PROTECTION

Built on a durable ladder chassis, the V-Cross has additional underbody protection covers to safeguard key components when travelling off-road.

"The D-Max represents astoundingly good value and will seriously impress off road."

AUTOCAR





Best-in-class safety-features—plus a maximum 5 star NCAP rating—take pick-up safety to a whole new level.









ADVANCED DRIVER ASSIST SYSTEMS (ADAS)

FORWARD COLLISION WARNING

Monitors the road ahead and alerts the driver of a potential collision.

AUTONOMOUS EMERGENCY BRAKING

Automatically applies the brakes to either prevent an accident or reduce the severity of an impact depending on speed.

TRAFFIC SIGN RECOGNITION

Reads standard road signs ahead and displays any change in speed limit on the Multi-Information Display.

INTELLIGENT SPEED LIMITER

Keeps vehicle speed below the speed limit of the road it is travelling along.

LANE DEPARTURE WARNING

Alerts the driver if they are about to drift out of their lane.

LANE DEPARTURE PREVENTION SYSTEM

Adjusts steering direction to help prevent lane departure if the vehicle is about to depart its lane without indicating.

LANE KEEP ASSIST¹

Detects lane markings and makes necessary steering adjustment to help keep the vehicle in its lane.

AT PEDAL MISAPPLICATION MITIGATION¹

Will suppress engine torque and issue a visual and audible warning if the driver suddenly accelerates in front of an object.

ADAPTIVE CRUISE CONTROL¹

Enables the driver to set both the desired speed and the distance to the car in front.

BLIND SPOT MONITOR

Detects vehicles in the driver's blind spot and alerts the driver via an orange warning light in the door mirror.

EMERGENCY LANE KEEPING

If there is a vehicle in the driver's blind spot when changing lanes, the system will adjust the steering direction to prevent the lane change and avoid the collision.

REAR CROSS TRAFFIC ALERT

Detects vehicles approaching from the left or right while reversing out of a parking space.

ADAS are driving support systems which may not operate optimally under all driving conditions or for all objects. The driver is always responsible for safe and attentive driving and observance of traffic regulations. See Owner's Manual for complete details on system operation and limitations. Automatic transmission only.





Key: ■ Standard □ No Cost Option

EXTERIOR	V-CROSS
EXTERIOR	
Bi-LED Headlights	•
LED Daytime Running Lights	•
Automatic Headlights	•
High Beam Assist	•
Automatic Headlight Levelling	•
LED Rear Lights	•
LED Front Fog Lights	•
Rear Fog Lights	•
Automatic Windscreen Wipers with Rain Sensor	•
Heated Rear Screen	•
Gun Metal Radiator Grille	•
Body Coloured Front Bumper	•
Body Coloured Rear Bumper with Integrated Step	•
Gun Metal Side Steps	•
Folding, Heated, Gun Metal Door Mirrors with Side Indicator Repeaters	•
Gun Metal Door Handles	•
Integrated Fuel Filler Cap with AdBlue	•
Tailgate Damper	•
WHEELS	
18" Alloy Wheels - Gun Metal	•
Locking Wheel Nuts	•
Full Size Spare Wheel - Steel	





INTERIOR	V-CROSS
Leather Upholstery¹	•
8-Way Adjustable Driver's Seat (Electric)	•
Driver's Seat Lumbar Support (Power)	
Heated Front Seats	•
Front Seatback Map Pockets	•
Flat Folding Rear Seats	•
60/40 Folding Seat Base	•
Under Seat Base Storage	•
Height Adjustable Front Headrests	•
Height Adjustable Rear Headrests	•
Front Centre Armrest	•
Front Cup Holders (Centre Console & Dash - Driver & Passenger Sides)	•
Front Door Pockets with Bottle Holder	•
Rear Centre Armrest with Cup Holders	•
Rear Door Pockets with Bottle Holder	•
Leather Steering Wheel	•
Carpet Floor Trim	•
Driver's Foot Rest	•
V-Cross Branded Carpet Mats	•
ENTERTAINMENT	
9" Multifunction Colour Touchscreen	•
Bluetooth® Connectivity	•
DAB Radio	•
Apple CarPlay™ & Android Auto™	•
CD Player	•
Eight Speakers	•
Front USB Port	
Rear USB Port	•

11	eather	and	othor	mata	rialc

VEHICLE SPECIFICATION

Key: ■ Standard □ No Cost Option

COMFORT & CONVENIENCE	V-CROSS
Remote Control Central Locking	•
Follow Me Home Light	-
Keyless Entry & Push Button Start System	•
Welcome Light	-
Power Windows (Front & Rear) ²	•
Sun Glass Holder & Overhead Console	-
Map Lights	-
Driver & Passenger Sun Visors with Illuminated Vanity Mirror	•
Auto Dimming Rear View Mirror	-
Height & Reach Adjustable Steering Wheel	-
Steering Wheel Mounted Audio & Cruise Controls	-
12-Volt Power Outlet	-
Gear Shift Indicator (Manual Only)	•
4.2" Multi-Information Display	-
CLIMATE CONTROL	
Dual Zone Climate Control	-
Rear Ventilation Panel	-
ADVANCED DRIVER ASSIST SYSTEMS ³	
Cruise Control	-
Adaptive Cruise Control (Auto Only)	•
Forward Collision Warning	•
Autonomous Emergency Braking	-
Traffic Sign Recognition	•
Intelligent Speed Limiter ⁴	•
Lane Departure Warning & Prevention System	-
Lane Keep Assist (Auto Only)	•
AT Pedal Misapplication Mitigation (Auto Only)	•
Blind Spot Monitor	•
Emergency Lane Keeping	•
Rear Cross Traffic Alert	•

SAFETY & SECURITY	V-CROSS
Front & Rear Parking Sensors	•
Reversing Camera	•
Rear Differential Lock	•
4WD Shift-On-The-Fly	•
Speed-Sensitive Power Steering	•
ESC (Electronic Stability Control)	•
Traction Control	•
Trailer Sway Control	•
ABS (Anti-Lock Braking System)	•
EBD (Electronic Brakeforce Distribution)	•
Brake Assist System	•
Hill Start Assist	•
Hill Descent Control	•
E-Call	•
Multi-Collision Brake	•
Security Etched Glass	•
Insurance Approved Immobiliser	•
Alarm with Deadlock	•
Front, Side, Curtain & Driver Knee SRS Airbags⁵	•
Centre SRS Airbag⁵	•
Passenger Airbag Deactivation Switch	•
Height Adjustable Front Seatbelts with Pretensioner & Load Limiter	•
3 x Three-Point Rear Seatbelts (Side & Centre)	•
ISOFIX Child Seat Anchors with Top Tether Anchors (2 x Rear Side)	•
Rear Door Child Locks	•
Seatbelt Reminder Indicator (All Seating Positions)	•
Door Open Warning Light	•
Stop & Start System ⁶	•

²Driver side has auto up/down function, with pinch protection and timer. ³ADAS are driving support systems which may not operate optimally under all driving conditions or for all objects. The driver is always responsible for safe and attentive driving and observance of traffic regulations. See Owner's Manual for complete details on system operation and limitations. ⁴Manual & Intelligent Speed Limiter. ⁵SRS: Supplemental Restraint System. Must be used in conjunction with seatbelts. ⁶According to conditions, the Stop & Start system will automatically stop and restart the engine when the vehicle comes to a standstill to reduce fuel consumption and emissions.



TECHNICAL SPECIFICATION

ENGINE	MANUAL A	UTO
Engine Type	RZ4E	
Fuel Type	Diesel	
Arrangement Cylinders	4, In line	
Firing Order	1-3-4-2	
Bore mm	80.0	
Stroke mm	94.4	
Compression	15.9	
Engine Capacity cm³	1898	
Idle Speed	750+/- 25	
Fuel Tank Capacity Litres	76	


GEAR RATIOS		
1	4.942	3.600
2	2.452	2.090
3	1.428	1.488
4	1.000	1.000
5	0.749	0.687
6	0.634	0.580
Reverse	4.597	3.732
Final Drive	4.300	4.300
PERFORMANCE		
Net Power PS @ rpm	164 @ 3600	
Torque Nm @ rpm	360 @ 2000 - 2500	
Maximum Speed (mph)	112	
Acceleration (0-62mph) sec	12.7	13.0
FUEL CONSUMPTION WLTP (MPG) ¹		
Low	27.6	25.1
Mid	36.4	31.4
High	39.4	36.0
Extra-High	30.8	29.0
Combined	33.6	30.7
CO₂ emissions g/km	220	241
Emissions Class	Euro 6D	

DIMENSIONS (MM)	MANUAL	AUTO	
Length	5265		
Width	1870		
Height	1790		
Front Overhang	890		
Rear Overhang	1250		
Wheelbase	3125		
Track (Front & Rear)	1570	1570	
Ground Clearance (Rear Axle)	235	235	
Approach Angle (Degrees)	31	31	
Departure Angle (Degrees)	24	24	
Ramp Angle (Degrees)	22	22	
LOAD BED (MM)			
Length	1495	1495	
Width	1530	1530	
Depth	490	490	
WEIGHTS (KG)			
Kerb Weight	2000	2030	
Gross Vehicle Weight	3100	3100	
Payload ²	1100	1070	

Width 1530 1530 Depth 490 490 WEIGHTS (KG) Kerb Weight 2000 2030 Gross Vehicle Weight 3100 3100 Payload² 1100 1070 Max Front Axle 1450 1450 Max Rear Axle 1910 1910 Trailer Weight Braked 3500 3500 Trailer Weight Unbraked 750 750 Nose Weight 245 245 Gross Train Weight 6000 6000 WHEELS & TYRES Tyres 265/60R18 Wheels 18x7.5 J	Length	1495	1495
WEIGHTS (KG) Kerb Weight 2000 2030 Gross Vehicle Weight 3100 3100 Payload² 1100 1070 Max Front Axle 1450 1450 Max Rear Axle 1910 1910 Trailer Weight Braked 3500 3500 Trailer Weight Unbraked 750 750 Nose Weight 245 245 Gross Train Weight 6000 6000 WHEELS & TYRES Tyres 265/60R18	Width	1530	1530
Kerb Weight 2000 2030 Gross Vehicle Weight 3100 3100 Payload² 1100 1070 Max Front Axle 1450 1450 Max Rear Axle 1910 1910 Trailer Weight Braked 3500 3500 Trailer Weight Unbraked 750 750 Nose Weight 245 245 Gross Train Weight 6000 6000 WHEELS & TYRES Tyres 265/60R18	Depth	490	490
Gross Vehicle Weight 3100 3100 Payload² 1100 1070 Max Front Axle 1450 1450 Max Rear Axle 1910 1910 Trailer Weight Braked 3500 3500 Trailer Weight Unbraked 750 750 Nose Weight 245 245 Gross Train Weight 6000 6000 WHEELS & TYRES Tyres 265/60R18	WEIGHTS (KG)		
Payload² 1100 1070 Max Front Axle 1450 1450 Max Rear Axle 1910 1910 Trailer Weight Braked 3500 3500 Trailer Weight Unbraked 750 750 Nose Weight 245 245 Gross Train Weight 6000 6000 WHEELS & TYRES Tyres 265/60R18	Kerb Weight	2000	2030
Max Front Axle 1450 1450 Max Rear Axle 1910 1910 Trailer Weight Braked 3500 3500 Trailer Weight Unbraked 750 750 Nose Weight 245 245 Gross Train Weight 6000 6000 WHEELS & TYRES Tyres 265/60R18	Gross Vehicle Weight	3100	3100
Max Rear Axle 1910 1910 Trailer Weight Braked 3500 3500 Trailer Weight Unbraked 750 750 Nose Weight 245 245 Gross Train Weight 6000 6000 WHEELS & TYRES Tyres 265/60R18	Payload ²	1100	1070
Trailer Weight Braked 3500 3500 Trailer Weight Unbraked 750 750 Nose Weight 245 245 Gross Train Weight 6000 6000 WHEELS & TYRES Tyres 265/60R18	Max Front Axle	1450	1450
Trailer Weight Unbraked 750 750 Nose Weight 245 245 Gross Train Weight 6000 6000 WHEELS & TYRES Tyres 265/60R18	Max Rear Axle	1910	1910
Nose Weight 245 245 Gross Train Weight 6000 6000 WHEELS & TYRES Tyres 265/60R18	Trailer Weight Braked	3500	3500
Gross Train Weight 6000 6000 WHEELS & TYRES Tyres 265/60R18	Trailer Weight Unbraked	750	750
WHEELS & TYRES Tyres 265/60R18	Nose Weight	245	245
Tyres 265/60R18	Gross Train Weight	6000	6000
	WHEELS & TYRES		
Wheels 18x7.5 J	Tyres	265/60R18	
	Wheels	18x7.5 J	

 1 MPG figures are EU test figures for comparative purposes and may not reflect real driving results. There is a new WLTP test used for fuel consumption and CO₂ figures. The fuel consumption and CO₂ emissions shown are based on the WLTP testing method. Only compare fuel consumption and CO₂ figures with other vehicles tested to the same technical standard. The fuel consumption you achieve in real life conditions and CO₂ produced will depend upon a number of factors including accessories fitted (post-registration), variations in weather, driving styles and vehicle load etc. 2 Maximum payload capacity as defined by HM Revenue and Customs for VAT purposes. Payload is gross vehicle weight minus kerb weight. Kerb weights quoted are for vehicles with standard specification. Kerb weight and payload may be influenced by badge level, factory options and dealer fitted accessories. It is the responsibility of the vehicle operator to ensure their vehicle is legally compliant for road use.

VEHICLE DIMENSIONS



COLOURS.



SPLASH WHITE



MERCURY SILVER
METALLIC



OBSIDIAN GREY



ONYX BLACK



SPINEL RED
MICA



SAPPHIRE BLUE MICA



VALENCIA ORANGE METALLIC

PEARL WHITE. EXCLUSIVE TO V-CROSS.



PEARL WHITEPEARLESCENT





VCROSS

isuzu.co.uk

4X4
PICK-UP OF THE YEAR
2022



Trade Van Driver 2022 COMPANY CAR AND VAN 2022



Isuzu (UK) LTD reserve the right to change specifications and equipment without notice. Features and specification may vary in appearance and/or availability. For full details please contact your local Isuzu dealer or visit isuzu.co.uk